LATICRETE® NXT[™] Primer by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

○ Yes Ex/SC ○ Yes ⊙ No

HPD UNIQUE IDENTIFIER: 22046 CLASSIFICATION: 03 54 00 Cast Underlayment

PRODUCT DESCRIPTION: A concentrated, premium quality, water-based primer designed to be applied prior to the installation of LATICRETE® NXT[™] self-leveling underlayment.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level 100 ppm 1,000 ppm Per GHS SDS O Other

Residuals/Impurities

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

Basic Method / Product Threshold

All Substances Above the Threshold Indicated Are:

Characterized	○ Yes Ex/SC ⊙ Yes ○ No
% weight and role provided for all subs	tances.

Screened C Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE NXT PRIMER [WATER BM-4 ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER LT-UNK UNDISCLOSED LT-UNK | SKI | EYE]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 7.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 1 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: UL GreenGuard Gold (NXT Primer)

VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

O Yes

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-01 PUBLISHED DATE: 2020-10-01 EXPIRY DATE: 2023-10-01 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE NXT PRIMER					
PRODUCT THRESHOLD: 100 ppm	I	RESIDUALS AND IMPURITIES COM	NSIDERED: Yes		
RESIDUALS AND IMPURITIES NOTES: Res 100 ppm.	iduals and impurities are measured	d by quantitative methoo	ds and are only d	isplayed when they are potentially	greater than
OTHER PRODUCT NOTES: See SDS at	www.laticrete.com for occupationa	al exposure information.			
WATER					ID: 7732-18-5
HAZARD SCREENING METHOD: Pharos C	nemical and Materials Library	HAZARD SCREENIN	IG DATE: 2020-10-01		
%: 45.0000 - 55.0000	GS: BM-4	RC: None	NANO: NO	SUBSTANCE ROLE: Diluent	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Pri	ority Hazard Lists
SUBSTANCE NOTES: The amount of the	is component may vary based on plant o	f manufacture.			
ACRYLONITRILE-BUTADIENE-ST	YRENE COPOLYMER				ID: 9003-56-9
HAZARD SCREENING METHOD: Pharos C	nemical and Materials Library	HAZARD SCREENING	DATE: 2020-10-01		
%: 45.0000 - 55.0000	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Pri-	ority Hazard Lists
SUBSTANCE NOTES: The amount of the	nis component may vary based on plant o	f manufacture.			
UNDISCLOSED					
HAZARD SCREENING METHOD: Pharos C	nemical and Materials Library	HAZARD SCREENI	NG DATE: 2020-10-01		
%: 0.5000 - 1.5000	GS: LT-UNK	RC: None	NANO: NO	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skir	n irritation	
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes seri	ious eye irritation	
SUBSTANCE NOTES: The amount of the	is component may vary based on the pla	nt of manufacture. This prod	luct is shown as und	disclosed to preserve integrity of formula	a and maintain

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL GreenGuard Gold (NXT Primer)
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: http://certificates.ulenvironment.com/default.aspx? id=44647&t=cs	ISSUE DATE: 2009-07-07 EXPIRY DATE: 2021-07-09 CERTIFIER OR LAB: UL Environme
	Credit "Low Emitting Materials" Emissions Requirements. This product was tested in Health (CDPH) v1.2 in an office and classroom environment.
·	
VOC CONTENT	TDS 251 "Low VOC LATICRETE® Products"

CERTIFICATE URL: https://www.laticrete.com/~/media/supportand-downloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Primers, Sealers, and Undercoaters).

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

LATICRETE® NXT™ Primer to be diluted with water only following mix ratio and directions as stated on TDS 230N

(https://cdn.laticrete.com/~/media/support-and-downloads/technical-datasheets/tds230n.ashx).

Section 5: General Notes

LATICRETE® NXT[™] Primer meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE NXT Primer does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: https://laticrete.com CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203.393.4619 EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.