



# SAFETY DATA SHEET

## Section 1: IDENTIFICATION

### 1.1 PRODUCT IDENTIFIER

**Product Name:** VersaBond LFT Mortar

**Product Code:** Not Available

### 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

**Product Use:** Mortar

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEETS

**Name/Address:** Custom Building Products  
3490 Piedmont Road, Suite 1300  
Atlanta, GA 30329

**Telephone Number:** (562)-598-8808

### 1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Telephone Number:** INFOTRAC 1-800-535-5053 (US and Canada)  
INTERNATIONAL + 1-352-323-3500

## Section 2: HAZARD(S) IDENTIFICATION

### 2.1 CLASSIFICATION OF THE CHEMICAL IN ACCORDANCE WITH PARAGRAPH (d) OF 29 CFR

1910.1200 (OSHA HAZCOM2012)

|                    |             |
|--------------------|-------------|
| Skin Irritation    | Category 2  |
| Serious Eye Damage | Category 1  |
| Skin sensitization | Category 1B |
| STOT-SE            | Category 3  |
| STOT-RE            | Category 1  |
| Carcinogenicity    | Category 1A |

### 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM2012

**2.2a SIGNAL WORD:**  
DANGER!

**2.2b HAZARD STATEMENTS**  
Causes skin irritation  
Causes serious eye damage  
May cause respiratory irritation  
Causes damage to organs through prolonged or repeated exposure  
May cause cancer



## SAFETY DATA SHEET

### 2.2c HAZARD PICTOGRAMS



### 2.2d PRECAUTIONARY STATEMENTS

|                      |   |
|----------------------|---|
| <b>i. PREVENTION</b> | Wash hands thoroughly after handling. Do not breathe dust/fume/gas/mist/ vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.   |
| <b>ii. RESPONSE</b>  | If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Get medical advice/attention. |
| <b>iii. STORAGE</b>  | Store in a well-ventilated place. Keep container tightly closed. Store locked up.   |
| <b>iv. DISPOSAL</b>  | Dispose of contents/containers in accordance with all local, state, provincial, and federal regulations.  |

### 2.3 ADDITIONAL INFORMATION

#### 2.3a HNOC – HAZARDS NOT OTHERWISE CLASSIFIED

Not applicable

#### 2.3b UNKNOWN ACUTE TOXICITY

57% of the mixture consists of ingredient(s) of unknown acute toxicity.

#### 2.3c WHMIS CLASSIFICATION

Class D2B – Skin/Eye Irritant

Class D2A – Chronic Toxic Effects

Class D2A - Carcinogenicity

#### 2.3d LABEL ELEMENTS ACCORDING TO WHMIS

##### i. WHMIS HAZARD SYMBOLS





# SAFETY DATA SHEET

- ii. **WHMIS SIGNAL WORD**  
WARNING!

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 MIXTURES

| Chemical Name              | CAS Number | Weight %    |
|----------------------------|------------|-------------|
| Crystalline Silica, Quartz | 14808-60-7 | 30 – 60%*   |
| Portland cement            | 65997-15-1 | 15 – 40%*   |
| Calcium carbonate          | 1317-65-3  | 10 – 30%*   |
| Gypsum                     | 7778-18-9  | 0.5 – 1.5%* |

\*Means that the component will fall into one the ranges specified due to batch-to-batch variability.

## Section 4: FIRST-AID MEASURES

### 4.1 DESCRIPTION OF THE FIRST-AID MEASURES

#### ROUTES OF EXPOSURE

##### Eye Contact:

#### DESCRIPTION

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.

##### Skin Contact:

In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

##### Inhalation:

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

##### Ingestion:

If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 4.2 MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

#### ROUTES OF EXPOSURE

##### Eye Contact:

#### DESCRIPTION

Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

##### Skin Contact:

Causes skin irritation. Handling can cause dry skin, discomfort, irritation, and dermatitis. May cause sensitization by skin contact.

##### Inhalation:

May cause respiratory tract irritation. Causes damage to organs



## SAFETY DATA SHEET

through prolonged or repeated exposure. This product contains crystalline silica. Prolonged or repeated inhalation of respirable crystalline silica from this product can cause silicosis, a serious disabling and fatal lung disease. Please see section 4.3 for further information.

**Ingestion:** May be harmful if swallowed. Ingestion may cause discomfort and/or distress, nausea or vomiting.

### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Not available

## Section 5: FIRE-FIGHTING MEASURES

### 5.1 FLAMMABILITY

**Flammability:** Not Flammable by WHMIS/OSHA HAZCOM2012 Criteria

### 5.2 EXTINGUISHING MEDIA

**5.2a. Suitable Extinguishing Media:**  
Treat for surrounding material.

**5.2b. Unsuitable Extinguishing Media:**  
Not available.

### 5.3 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

**5.3a. Products of Combustion:**  
May include, and are not limited to: oxides of carbon and hydrogen sulfide

#### 5.3b. Explosion Data

- i. **Sensitivity to Mechanical Impact:**  
Not available.
- ii. **Sensitivity to Static Discharge:**  
Not available.

### 5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## Section 6: ACCIDENTAL RELEASE MEASURES



# SAFETY DATA SHEET

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

## 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

**Methods for Containment:** Recover all usable material. Pick up large pieces, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Cleaning-Up:** Vacuum or sweep material and place in a disposal container. Dispose of unwanted material properly in accordance with all local, regional, national and international regulations.

## Section 7: HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

**Handling:** Use in well-ventilated areas. Wear chemical resistant gloves and eye protection. Do not mix with other chemical products. Do not get in eyes. Do not get on skin or clothing. Do not breathe fumes. Do not take internally. Good housekeeping is important to prevent accumulation of dust.

To prevent burial or suffocation, do not enter a confined space, such as a silo, bin, bulk truck, or other storage container or vessel that stores or contains this product.

**General Hygiene Advice:** Use good industrial hygiene practices and wear recommended personal protection. Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Storage:** Keep out of the reach of children. Keep container tightly closed. Store at room temperature and keep containers closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Keep dry until use.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

#### Exposure Guidelines

| Occupational Exposure Limits |                       |                         |
|------------------------------|-----------------------|-------------------------|
| Chemical Name                | OSHA-PEL              | ACGIH-TLV               |
| Crystalline Silica, Quartz   | 0.1 mg/m <sup>3</sup> | 0.025 mg/m <sup>3</sup> |



## SAFETY DATA SHEET

|                   |   |                              |
|-------------------|---|------------------------------|
| Portland cement   | 5 mg/m <sup>3</sup> (Resp.)<br>15 mg/m <sup>3</sup> (Total) | 10 mg/m <sup>3</sup> (Resp.) |
| Calcium carbonate | 5 mg/m <sup>3</sup> (Resp.)<br>15 mg/m <sup>3</sup> (Total) | 2 mg/m <sup>3</sup> (Resp.)  |
| Gypsum            | 5 mg/m <sup>3</sup> (Resp.)<br>15 mg/m <sup>3</sup> (Total) | 0.025 mg/m <sup>3</sup>      |

### 8.2 EXPOSURE CONTROLS

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

### 8.3 INDIVIDUAL PROTECTION MEASURES

#### 8.3a. Personal Protective Equipment:

- i. **Eye/Face Protection:** Wear approved eye [properly fitted dust- or splash-proof chemical safety goggles/face (face shield)] protection
- ii. **Skin Protection:**
  1. **Hand Protection:** Wear chemical resistant gloves.
  2. **Body Protection:** Wear suitable protective clothing
- iii. **Respiratory Protection:** A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).
- iv. **General Health and Safety Measures:** Handle according to established industrial hygiene and safety practices.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

|  |                  |
|--|------------------|
| <b>Appearance (physical state, color, etc.):</b> | Solid Powder     |
| <b>Odor:</b>                                     | Characteristic   |
| <b>Odor Threshold:</b>                           | Not available    |
| <b>pH:</b>                                       | 10 – 13 when wet |
| <b>Melting point/Freezing point:</b>             | Not available    |
| <b>Initial boiling point and boiling range:</b>  | Not available    |
| <b>Flash point:</b>                              | > 212°F          |
| <b>Evaporation rate (Water=1):</b>               | Not available    |
| <b>Flammability:</b>                             | Not flammable    |
| <b>Upper Flammability/Explosive Limit:</b>       | Not available    |
| <b>Lower Flammability/Explosive Limit:</b>       | Not available    |
| <b>Vapor Pressure</b>                            | Not available    |
| <b>Vapor Density:</b>                            | Not available    |
| <b>Relative Density:</b>                         | Not available    |



## SAFETY DATA SHEET

|  |                  |
|--|------------------|
| <b>Solubility in Water:</b>                    | Slightly Soluble |
| <b>Partition coefficient: n-octanol/water:</b> | Not available    |
| <b>Auto-ignition temperature:</b>              | Not available    |
| <b>Decomposition Temperature:</b>              | Not available    |
| <b>Viscosity (cps):</b>                        | Not available    |
| <b>VOC Content:</b>                            | 0 g/L (0%)       |

### Section 10: STABILITY AND REACTIVITY

#### 10.1. REACTIVITY

No dangerous reaction known under conditions of normal use.

#### 10.2. CHEMICAL STABILITY

Stable under normal storage conditions. Keep dry in storage.

#### 10.3. POSSIBILITY OF HAZARDOUS REACTION

Reacts with water to form alkaline solution (condition of normal use)

#### 10.4. CONDITIONS TO AVOID

Heat. Incompatible materials.

#### 10.5. INCOMPATIBLE MATERIALS

None known.

#### 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

Upon decomposition, this product may yield oxides of carbon and hydrogen sulfide.

### Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. LIKELY ROUTES OF EXPOSURE:

Skin contact, skin absorption, eye contact, inhalation, and ingestion.

#### 11.2. SYMPTOMS RELATED TO PHYSICAL/CHEMICAL/TOXICOLOGICAL CHARACTERISTICS:

**Eye Contact:** Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

**Skin Contact:** Causes skin irritation. Handling can cause dry skin, discomfort, irritation, and dermatitis. May cause sensitization by skin contact.

**Inhalation:** May cause respiratory tract irritation. Causes damage to organs through prolonged or repeated exposure. This product contains crystalline silica. Prolonged or repeated inhalation of respirable crystalline silica from this product can cause silicosis, a serious disabling and fatal lung disease. Please see section 4.3 for further information.

**Ingestion:** May be harmful if swallowed. Ingestion may cause discomfort and/or distress, nausea or vomiting.



# SAFETY DATA SHEET

## Acute Toxicity

| Chemical Name              | LC50          | LD50                                     |
|----------------------------|---------------|--|
| Crystalline Silica, Quartz | Not available | Not available                            |
| Portland cement            | Not available | Not available                            |
| Calcium carbonate          | Not available | Oral: 6450 mg/kg (essentially not toxic) |
| Gypsum                     | Not available | Not available                            |

| Chemical Name              | Chemical Listed as Carcinogens or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)* |
|----------------------------|--|
| Crystalline Silica, Quartz | N-A2, I-1, O-1, CP65   |
| Portland cement            | Not Listed   |
| Calcium carbonate          | Not Listed   |
| Gypsum                     | Not Listed   |

### 11.3. DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT AND LONG-TERM EXPOSURE

| SHORT-TERM                               |  |
|--|--|
| <b>Skin Corrosion/Irritation:</b>        | Causes skin irritation   |
| <b>Serious Eye Damage/Irritation:</b>    | Causes severe eye damage                                       |
| <b>Respiratory Sensitization:</b>        | Not available  |
| <b>Skin Sensitization:</b>               | May cause sensitization by skin contact.                       |
| <b>STOT-Single Exposure:</b>             | May cause respiratory irritation                               |
| <b>Aspiration Hazard:</b>                | Not available  |
| LONG-TERM                                |  |
| <b>Carcinogenicity:</b>                  | May cause cancer   |
| <b>Germ Cell Mutagenicity:</b>           | Not available  |
| <b>Reproductive Toxicity:</b>            | Not available  |
| <b>STOT-Repeated Exposure:</b>           | Causes damage to organs through prolonged or repeated exposure |
| <b>Synergistic/Antagonistic Effects:</b> | Not available  |

## Section 12: ECOLOGICAL INFORMATION

### 12.1. ECOTOXICITY

May cause long-term adverse effects to the aquatic environment. Keep from entry into sewers and waterways.

| Ecotoxicity                |                    |                    |
|----------------------------|--------------------|--------------------|
| Chemical Name              | EC50/NOEC-48 Hours | LC50/NOEC-96 Hours |
| Crystalline Silica, Quartz | Not available      | Not available      |
| Portland cement            | Not available      | Not available      |
| Calcium carbonate          | Not available      | Not available      |
| Gypsum                     | Not available      | Not available      |





## SAFETY DATA SHEET

### 12.2. PERSISTENCE AND DEGRADABILITY

Not available

### 12.3. BIOACCUMULATIVE POTENTIAL

Not available

### 12.4. MOBILITY IN SOIL

Not available

### 12.5. OTHER ADVERSE EFFECTS

Not available

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. DISPOSAL METHOD

Dispose of contents/containers in accordance with all local, state, provincial, and federal regulations

### 13.2. OTHER DISPOSAL CONSIDERATIONS

Not available

## Section 14: TRANSPORT INFORMATION

| DOT (U.S.)   | TDG (CANADA)   |
|--|--|
| <b>UN NUMBER:</b><br><br>Not regulated                     | <b>UN NUMBER:</b><br><br>Not regulated                     |
| <b>UN PROPER SHIPPING NAME:</b><br><br>Not regulated       | <b>UN PROPER SHIPPING NAME:</b><br><br>Not regulated       |
| <b>TRANSPORT HAZARD CLASS (ES):</b><br><br>Not regulated   | <b>TRANSPORT HAZARD CLASS (ES):</b><br><br>Not regulated   |
| <b>PACKING GROUP (if applicable):</b><br><br>Not regulated | <b>PACKING GROUP (if applicable):</b><br><br>Not regulated |

**SUMMARY:** Product is not regulated under DOT/TDG and other transportation regulations.

### 14.1. ENVIRONMENTAL HAZARDS

Not available

### 14.2. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available

### 14.3. SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.



# SAFETY DATA SHEET

## Section 15: REGULATORY INFORMATION

### 15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**US:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

### 15.2. US FEDERAL INFORMATION:

**SARA TITLE III: Section 302**, Extremely Hazardous Substances, 40 CFR 355:

**SARA TITLE III: Section 311 and 312**, MSDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Immediate (Acute) Health Hazard; Chronic Health Hazard; Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

**SARA TITLE III: Section 313**, Toxic Chemicals Notification, 40 CFR 372: This product may be subject to SARA notification requirements if it contains Toxic Chemical Constituents above their de minimus concentrations.

**Clean Air Act – Not available**

| SARA TITLE III             |                             |                          |                 |                   |
|----------------------------|-----------------------------|--------------------------|-----------------|-------------------|
| CHEMICAL NAME              | SECTION 302 (EHS) TPQ (LBS) | SECTION 304 EHS RQ (LBS) | CERCLA RQ (LBS) | SECTION 313 (TRI) |
| Crystalline Silica, Quartz | Not Listed                  | Not Listed               | Not Listed      | Not Listed        |
| Portland cement            | Not Listed                  | Not Listed               | Not Listed      | Not Listed        |
| Calcium carbonate          | Not Listed                  | Not Listed               | Not Listed      | Not Listed        |
| Gypsum                     | Not Listed                  | Not Listed               | Not Listed      | Not Listed        |

### 15.3. US STATE RIGHT TO KNOW LAWS:

|   |  |
|---|--|
| <b>California Proposition 65:</b>               | <b>WARNING!</b> This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm (Crystalline Silica)   |
| <b>Other U.S. States "Right to Know" Lists:</b> |  |
| <b>New Jersey:</b>                              | SILICA, QUARTZ: <b>CAS#14808-60-7</b><br>SILICATE, PORTLAND CEMENT: <b>CAS#65997-15-1</b><br>CALCIUM CARBONATE: <b>CAS#1317-65-3</b><br>GYPSUM (CALCIUM SULFATE): <b>CAS#7778-18-9</b><br>CALCIUM FORMATE: <b>CAS#544-17-2</b> |
| <b>Pennsylvania:</b>                            | SILICA, QUARTZ: <b>CAS#14808-60-7</b><br>CEMENT, PORTLAND, CHEMICALS: <b>CAS#65997-15-1</b><br>LIMESTONE: <b>CAS#1317-65-3</b><br>GYPSUM (CALCIUM SULFATE): <b>CAS#7778-18-9</b>   |



## SAFETY DATA SHEET

|                       |  |
|-----------------------|--|
|                       | CALCIUM FORMATE: <b>CAS#544-17-2</b>   |
| <b>Massachusetts:</b> | QUARTZ: <b>CAS#14808-60-7</b><br>PORTLAND CEMENT: <b>CAS#65997-15-1</b><br>CALCIUM CARBONATE: <b>CAS#1317-65-3</b><br>GYPSUM (CALCIUM SULFATE): <b>CAS#7778-18-9</b>         |
| <b>Minnesota:</b>     | SILICA, QUARTZ: <b>CAS#14808-60-7</b><br>PORTLAND CEMENT: <b>CAS#65997-15-1</b><br>CALCIUM CARBONATE: <b>CAS#1317-65-3</b><br>GYPSUM (CALCIUM SULFATE): <b>CAS#7778-18-9</b> |
| <b>Florida:</b>       | Not Available  |
| <b>Michigan:</b>      | Not Available  |

### 15.4. GLOBAL INVENTORIES


| Chemical Name              | USA TSCA | Canada<br>DSL/NDL |
|----------------------------|----------|-------------------|
| Crystalline Silica, Quartz | Yes      | DSL               |
| Portland cement            | Yes      | DSL               |
| Calcium carbonate          | Yes      | DSL               |
| Gypsum                     | Yes      | DSL               |



# SAFETY DATA SHEET

## 15.5. NFPA AND HMIS RATINGS:

|  |  |
|--|--|
| <p align="center"><b>HEALTH HAZARD</b></p> <p><b>4 EXTREME</b> - Highly toxic - May be fatal on short-term exposure.</p> <p><b>3 SERIOUS</b> - Toxic - Full protective suit and breathing apparatus should be worn.</p> <p><b>2 MODERATE</b> - Breathing apparatus and face mask must be worn.</p> <p><b>1 SLIGHT</b> - Breathing apparatus may be worn.</p> <p><b>0 MINIMAL</b> - No precautions necessary.</p> | <p align="center"><b>FLAMMABILITY HAZARD</b></p> <p><b>4 EXTREME</b> - Extremely flammable gas or liquid. Flash Point below 73°F.</p> <p><b>3 SERIOUS</b> - Flammable. Flash Point 73°F to 100°F.</p> <p><b>2 MODERATE</b> - Combustible. Requires moderate heating to ignite. Flash Point below 200°F.</p> <p><b>1 SLIGHT</b> - Slightly combustible. Requires strong heating to ignite.</p> <p><b>0 MINIMAL</b> - Will not burn under normal conditions.</p> |
| <p align="center"><b>SPECIFIC HAZARD</b></p> <p>OXIDIZER <b>OXY</b></p> <p>ACID <b>ACID</b></p> <p>ALKALI <b>ALK</b></p> <p>CORROSIVE <b>COR</b></p> <p>Use NO WATER <b>W</b></p> <p>RADIATION ☼</p>   | <p align="center"><b>INSTABILITY HAZARD</b></p> <p><b>4 EXTREME</b> - Explosive at room temperature.</p> <p><b>3 SERIOUS</b> - May detonate if shocked or heated under confinement or mixed with water.</p> <p><b>2 MODERATE</b> - Unstable. May react with water.</p> <p><b>1 SLIGHT</b> - May react if heated or mixed with water.</p> <p><b>0 MINIMAL</b> - Normally stable. Does not react with water.</p>   |



**HMIS**

|                                     |                                   |   |
|-------------------------------------|-----------------------------------|---|
| <p><b>2 HEALTH</b></p>              | <b>PROTECTIVE EQUIPMENT INDEX</b> |   |
| <p><b>0 FLAMMABILITY</b></p>        | <b>A</b>                          | <b>G</b>  |
| <p><b>0 REACTIVITY</b></p>          | <b>B</b>                          | <b>H</b>  |
| <p><b>0 PERSONAL PROTECTION</b></p> | <b>C</b>                          | <b>I</b>  |
| <p><b>B</b></p>                     | <b>D</b>                          | <b>J</b>  |
|                                     | <b>E</b>                          | <b>K</b>  |
|                                     | <b>F</b>                          | <b>X</b> Ask your supervisor for special handling instructions. |

## 15.6. SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

|                  |  |
|------------------|--|
| <b>CP65</b>      | California Proposition 65  |
| <b>OSHA (O)</b>  | Occupational Safety and Health Administration  |
| <b>ACGIH (G)</b> | American Conference of Governmental Industrial Hygienists <ul style="list-style-type: none"> <li>• A1 – Confirmed human carcinogen</li> <li>• A2 – Suspected human carcinogen</li> <li>• A3 – Animal carcinogen</li> <li>• A4 – Not classifiable as a human carcinogen</li> <li>• A5 – Not suspected a human carcinogen</li> </ul> |
| <b>IARC (I)</b>  | International Agency for Research on Cancer <ul style="list-style-type: none"> <li>• 1 – The agent (mixture) is carcinogenic to humans</li> <li>• 2A – The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient</li> </ul>                                    |



## SAFETY DATA SHEET

|                |  |
|----------------|--|
|                | <p>evidence of carcinogenicity in experimental animals.</p> <ul style="list-style-type: none"><li>• 2B – The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.</li><li>• 3 – The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.</li><li>• 4 – The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.</li></ul> |
| <b>NTP (N)</b> | <p>National Toxicology Program</p> <ul style="list-style-type: none"><li>• 1 – Known to be carcinogens</li><li>• 2 – Reasonably anticipated to be carcinogens</li></ul>  |

### Section 16: OTHER INFORMATION

**Date of Preparation:** January 13, 2015

**Version:** 1.0

**Revision Date:** N/A

**Disclaimer:** The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

**Prepared by:** Custom Building Products

Phone: (562)-968-2980

[www.custombuildingproducts.com](http://www.custombuildingproducts.com)

### End of Safety Data Sheet