

# Aqua Mix® Grout Haze Clean-Up

## 1 Product Name

Aqua Mix® Grout Haze Clean-Up

## 2 Manufacturer

Custom Building Products  
 Technical Services  
 10400 Pioneer Boulevard, Unit 3  
 Santa Fe Springs, CA 90670  
 Customer Support: 800-272-8786  
 Technical Services: 800-282-8786  
 Fax: 800- 200-7765  
 Email: [contactus@cbpmail.net](mailto:contactus@cbpmail.net)  
[custombuildingproducts.com](http://custombuildingproducts.com)

## 3 Product Description

A safe and effective concentrated cleaner that is added to the grout cleanup water for removal of cementitious grout haze and latex additive film from tile during the grout cleanup process. It may also be used full-strength to remove light grout residue within the first 10 days after grouting.

### Key Features

- Add to clean-up water
- Removes grout haze and latex additive film
- Non-acidic formula

### Uses

Unpolished natural stone (such as granite, limestone, marble, slate, and travertine), polished granite, ceramic, porcelain, quarry, Saltillo, terra-cotta, cement pavers, masonry surfaces, and other stone and tile surfaces

### Limitations to the Product

- Do not allow product to come in contact with any non-recommended surface
- Do not use on polished marble or any other acid-sensitive tile or stone
- Do not use excessive amounts of water during cleanup process as grout pigment may be washed out

## 4 Technical Data

### Environmental Consideration

Environmental Consideration

Custom® Building Products is committed to environmental responsibility in both products produced and in manufacturing practices. Use of this product may contribute towards LEED® certification:

- Up to 2 points towards MR Credit 5, Regional Materials
- Complies with all Federal, SCAQMD, and CARB standards for VOC's

## 5 Instructions

### Application of Product

**USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.**



**DURING GROUT CLEANUP:** Read entire label before using. Perform grout cleanup per grout manufacturer's instructions. Mix 3 to 5 oz (90 to 147 mL) of Grout Haze Clean-Up per gallon (3.8 L) of water. Wet a grout sponge or terry cloth towel with the cleaning solution, wring out excess liquid. Wipe diagonally across the tile. Repeat steps 4 and 5 every 10 to 15 ft (.9 M to 1.3 M) or as necessary. Remove residual cleaning solution using a clean grout sponge or terry cloth towel dampened with clean water only.

**AFTER GROUT CLEANUP WITHIN 10 DAYS OF GROUTING:** Use full strength if grout haze was not completely removed during grout cleanup. Apply directly to surface and agitate with white nylon scrub pad or brush. Allow product to dwell for 5 to 10 minutes for stubborn areas or heavier grout residue. Rinse with clean water to remove residual cleaning solution.

### Cleaning of equipment

Clean tools with water before material dries.

### Storage

Protect from freezing. Store in a cool, dry area.

### Health Precautions

MAY BE HARMFUL IF SWALLOWED. MAY IRRITATE EYES AND SKIN. Wear skin and eye protection. Contains EDTA acid, sodium tripolyphosphate, trisodium citrate dihydrate, and Beta-Alanine, N -(2-carboxyethyl)-N-(2-ethylhexyl)-monosodium salt. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting, seek medical attention.

## 6 Availability & Cost

Location	Item Code	Size	Package
USA	010461	1 Pint (473 ml)	Bottle
Canada	C010461	1 Pint (473 ml)	Bottle

## 7 Product Warranty

Obtain the applicable **LIMITED PRODUCT WARRANTY** at [www.custombuildingproducts.com/product-warranty](http://www.custombuildingproducts.com/product-warranty) or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.



# Aqua Mix® Grout Haze Clean-Up

---

## 8 Product Maintenance

Properly applied product requires no special maintenance.

## 9 Technical Services Information

For technical assistance, contact Custom technical services at 800-282-8786 or visit [custombuildingproducts.com](http://custombuildingproducts.com).

## 10 Filing System

Additional product information is available from the manufacturer upon request.

---

### VOC Content

No VOCs

### Handling & Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between 45° F to 85° F (7.2° C to 29.4° C)
- Store in areas inaccessible to small children
- Do not reuse empty container, wrap and discard in trash or recycle

### Related Products

Aqua Mix® Grout Sealer

# Aqua Mix® Grout Haze Clean-Up

---

Coverage

SIZE	Min Coverage	Max Coverage
1 Gallon (3.78 L)	2,400 ft <sup>2</sup> (223 M <sup>2</sup> )	4,800 ft <sup>2</sup> (446 M <sup>2</sup> )

